# STATEMENT OF WORK FOR THE Rebuild of the TYPE II CIRCUIT CARD ASSEMBLY For the SB-3614(V)/TT NSN: 5998-01-235-7874

- 1.0 <u>SCOPE</u>. This Statement of Work (SOW) establishes and sets forth tasks and identifies the work efforts that shall be performed by the Contractor (for purposes of this SOW, Contractor is defined as the commercial or government entity performing the rebuild) in the rebuild effort of the Type II Circuit Card Assembly (CCA) for the SB-3614(V)/TT, NSN 5998-01-235-7874, Part Number 755090A0399-3, CAGE 87990 to Condition Code "A". This document contains requirements to restore the Type II CCA to Condition Code "A". Condition Code "A" is defined as "serviceable/issuable without qualification, new, used, repaired or reconditioned materiel which is serviceable and issuable to all customers without limitation or restriction, including materiel with more than six months shelf-life remaining".
- 1.1 <u>BACKGROUND</u>. Rebuild is defined as "That maintenance technique to restore an item to a standard as near as possible to original or new condition in appearance, performance, and life expectancy. This is accomplished through a maintenance technique or complete disassembly of the item, inspection of all parts or components, repairs or replacement of worn or unserviceable elements using original manufacturing tolerances and/or specifications and subsequent reassembly of the items."
- 2.0 <u>Applicable Documents</u>. The following documents form a part of this SOW to the extent specified. Unless otherwise specified, the issues of these documents are those listed in the DoD Index of Specifications and Standards (DoDISS) and supplement thereto which is in effect on the date of solicitation. In the event of conflict between the documents referenced herein and the contents of this SOW, the contents of this SOW shall be the superseding requirement.

### 2.1 Military Standards

MIL-STD-129 DoD Standard Practice for Military Marking

MIL-STD-2073-1D DoD Standard Practice for Military Packaging

2.2 Other Government Documents and Publications

TM 11-5805-695-34 Switchboard, Telephone SB-3614(V)/TT

Engineering Drawing Type II CCA

755090A0399 Cage 87990

Engineering Drawing Parts List, Type II CCA

755090A0399 Sheet 3 Cage 87990

Engineering Drawing Schematic Diagram

755090A0400 Cage 87990

DOD 4000.25-1-M MILSTRIP Manual

NAVICPINST 4491.2A Requisitioning of Contractor Furnished Materiel

(CFM) from the Federal Supply System

Military Handbook (For Guidance)

MIL-HDBK-61 Configuration Management Guidance

2.3 Industry Standards

JESD625-A Requirements for Handling Electrostatic-Discharge-

Sensitive (ESDS) Devices

ANSI/ISO/ASOC 09003-1994 Quality Systems – Model for Quality Assurance in

Final Inspection and Test

Industry Standard (For Guidance)

ANSI/EIA-649 National Consensus Standard for Configuration

Management

Copies of Military Specifications and Standards are available from the DoD Single Stock Point, Document Automation and Production Service, Building 4/D, 700 Robbins Avenue, Philadelphia, PA 19111-5094, commercial telephone number (215) 697-2179 or DSN 442-2179 or on the internet at <a href="http://www.dodssp.daps.mil">http://www.dodssp.daps.mil</a>. Copies of other government documents and publications required by contractors in connection with specific SOW requirements shall be obtained through the Contracting Officer: Commander, Marine Corps Logistics Bases, (Code 891) Attn: Contracting Officer, 814 Radford Blvd., Albany, Georgia 31704-1128, commercial telephone number (229) 639-6761 or DSN 567-6761. Copies of engineering drawings, if applicable, shall be obtained from Supply Chain Management Center (Code 851-3), 814 Radford Blvd., Suite 20320, Albany, Georgia 31704-0320, commercial telephone number (229) 639-6410 or DSN 567-6410.

#### 3.0 Requirements

3.1 The Contractor shall rebuild the Type II CCA, NSN 5998-01-235-7874, CAGE 87990, Part Number 755090A0399-3 for the SB-3614(V)/TT in accordance with TM 11-5805-695-34, and Engineering Drawings 755090A0399 Cage 87990, 755090A0399 Sheet 3 Parts List Cage 87990 and 755090A0400 Schematic Diagram Cage 87990.

#### 3.2 Phase IV (Packaging, Handling, Storage and Transportation (PHS&T)

a. The Contractor shall be responsible for preservation and packaging of items being repaired under the terms of this statement of work. Items scheduled for long-term storage or shipment to overseas destinations shall be preserved and packaged in accordance with level "A"

requirements of MIL-STD-2073-1D, Appendix J, Table J. Ia., Specialized Preservation Code "GX". Items scheduled for domestic shipment for immediate use or short-term storage shall be in accordance with level "B" requirements. All items subject to electrostatic sensitivity shall be packed into a reusable fast pack container.

- b. Marking for shipment and storage shall be in accordance with MIL-STD-129.
- c. The Marine Corps will provide the Contractor with the shipping address(es) for delivery of the rebuilt equipment. The Contractor shall be responsible for arranging for shipment to the pre-designated site(s). The Marine Corps will be responsible for transportation costs associated with shipping the subject equipment to and from the Contractor.
- 3.3 <u>Configuration Control</u>. The Contractor shall implement configuration control to established configuration items. Deviation from the established baseline configuration will not be allowed without the approval in writing from the Weapon System/Equipment Manager (Code 847-3). If necessary to temporarily depart from the authorized configuration, the Contractor shall prepare and submit a Request for Deviation. MIL-HDBK-61 and ANSI/EIA-649 provide guidance for preparing this configuration control document.
- Government Furnished Equipment (GFE)/Government Furnished Materiel (GFM). GFE is government owned equipment authorized by contract for use by a commercial/government contractor. It is neither consumed during production nor incorporated into any product. GFM is material furnished to a contractor that will be consumed during the course of production or incorporated into the product(s) being manufactured/remanufactured under a contract/statement of work. In the event the Marine Corps does have GFE/GFM requirements, the Management Control Activity (MCA/Code 827-2), Marine Corps Logistics Bases, Albany, Georgia, will coordinate required GFE and will maintain a central control on Marine Corps assets in the Contractor's possession. The MCA will forward a GFE Accountability Agreement to the Contractor Facility for signature to establish a chain of custody and property responsibilities for Marine Corps assets. The Contractor shall report receipt of all GFE/GFM and report consumption of GFM to the MCA.
- 3.5 <u>Quality Assurances Provisions.</u> The Contractor shall provide and maintain a Quality System that as a minimum, adheres to the requirements of ANSI/ISO/ASQC Q9003-1994, Quality Systems Model for Quality Assurance in Final Inspection and Test.
- 3.6 <u>Electrostatic Discharge (ESD) Control Program</u>. The Contractor shall establish, implement and document an ESD control program following the guidelines provided in JESD625-A. ESD protective measures shall be used during manufacturing, handling, inspection, test, marking, packaging, storing and transporting ESD sensitive components.
- 3.7 <u>Contractor Furnished Material (CFM)</u>. The Marine Corps has adopted the Navy's procedures regarding Contractor Furnished Materiel (NAVICPINST 4491.2A). In the event that CFM is required for repair parts, the Contractor shall requisition repair parts through the DoD Supply system. DoD 4000.25-1-M (MILSTRIP), Chapter 11 authorizes contractors to requisition through the DoD Supply System.

3

## CONTRACT DATA REQUIREMENTS LIST (1 Data Item)

Form Approved OMB No. 1704-0188

17 PRICE GROUP

18 ESTIMATED TOTAL PRICE

The Public reporting burden for this collection of information is authorized to average 110 hours per response, including the time for reviewing instructions a searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Department of Defense, Washington Headquarters Services, Directorate for Information Operations and Reports 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302 and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188), Washington, DC 20503. Please DO NOT RETURN your form to either of these addresses. Send completed form to the Government issuing Contract Office for the contract/PR No. listed in block E.

A. CONTRACT LINE ITEM NO. B EXHIBIT

C. CATEGORY:

A. CONTRACT	LINE HEM NO.	D. EARIDI	l ·	TDP	•	TM (	Other XXX	(	
D, SYSTEM/ITE	<u></u>	1	E. CONTRACT/PI		F. CONT		71717	=	_
	I TERMINAL C				1				
	2. TITLE OF DATA ITEM				3 SUBTITLI				
Request for Deviation A001						Configuration Management			
4. AUTHORITY (1)at	ta Acquisition Document No.	,	5 CONTRACT REFERE	ENCE	-	6. REQUIRING OFFICE			
DI-CMAN-80640C SOW 3.3						MCLBA (851)			
	9. DIST STATEMENT	10. FREQUEN		12. DATE OF FIRST SUBMISSION		14. DISTRIBUTION			
LT	REQUIRED		ASREQ	See Block 16			b. COPIES		
8. APP CODE	A	II. AS OF DATE		13. DATE OF SUBSEQUENT SUBMISSION		a. ADDRESSEE	Draft	FIN Reg	AI. Repro
16. REMARKS				<u> </u>	·	MCLBA(851-2)	0	1	0
Block 4 - Con	ntractor format is	authorized	l and shall be si	ubmitted in .do	c or .pdf				
format.						<u> </u>	<del>                                     </del>		_
Block 12 - RF	FDs will be review	wed and d	sposition deter	mined within 3	0				
	upon receipt by								
RFDs shall be	e submitted via e-	mail to the	e following add	lress:					
	nfigmngmnt@ma								
Distribution S	Statement A: App	royed for	nublic release	distribution is a	ınlimited				
Distribution 6	statement 11. 11pp	70 ved 101	puone release,			·	<u> </u>		
						<del></del>	-		
							1		
•									
							<del> </del> -		
							+		
							+		_ <del></del>
							+		
							+		
							_		
							<del></del>		
	_	2 *		<b>N</b>		15. TOTAL	0	ı	
G. PREPARED	BY: 2 0	<del>) /</del> /	H. DATE	I. APPROVED	BY:	TO, TOTAL	J. DATE		U
Jank	00 CU	all	6/14/01	1/6 an	Ans	m	7-5		
DDFORM 142	23-1, AUG 96 (EG)		MREVIOUS	EDITION MAY DE U	SED	Designed (	Pa using Perform	ge <u>1</u> of	